



(Red-lined Version) PLANT PATENT
[File No. 10451.0051.NPUS01]

APPLICATION FOR UNITED STATES PLANT PATENT

for

CHRYSANTHEMUM PLANT NAMED 'DOVE BRONZE'

by

**Keith G. Lintott, 40 Carlton Avenue, Rose Green, Bognor Regis,
West Sussex, PO21 3LP, United Kingdom
Citizenship: United Kingdom**

This application claims the benefit of U.S. Provisional Application No. 60/421,380, filed October 25, 2002.

LATIN NAME OF THE GENUS AND SPECIES

Botanical classification: *Chrysanthemum morifolium*.

5

VARIETY DENOMINATION

The new Chrysanthemum variety denomination is 'Dove Bronze.'

BACKGROUND OF THE INVENTION

The present invention comprises a new and distinct cultivar of Chrysanthemum botanically known as *Chrysanthemum morifolium*, and referred to by the cultivar name 'Dove Bronze.'

10

'Dove Bronze,' identified as 30262-1, originated from a naturally occurring whole plant mutation grown in a controlled planting of an unpatented variety commercially available as 'Dove' in Chichester, West Sussex PO10 7XQ, United Kingdom. The new variety 'Dove Bronze' has been asexually reproduced by vegetative cuttings in Chichester, West Sussex, United Kingdom, and the distinguishing characteristics are retained through successive generations of asexual reproduction.

15

BRIEF SUMMARY OF THE INVENTION

'Dove Bronze' is a garden type of Chrysanthemum plant having a domed canopy of small single bronze flowers.

20

Comparison with Parent

Plants of the new Chrysanthemum variety 'Dove Bronze' are similar to the parent 'Dove' in habit and growth rate. In side-by-side comparisons in Chichester, West Sussex, United Kingdom, under commercial practice, plants of the new Chrysanthemum variety 'Dove Bronze' differed from the plants of the parent variety 'Dove' in the following characteristic.

25

1. The new variety 'Dove Bronze' produces flowers bronze flowers whereas the parent 'Dove' produces pink flowers.

Comparison with Other Varieties

Plants of the new Chrysanthemum variety 'Dove Bronze' are dissimilar to the variety 'Grace' (U.S. Plant Patent No. 7,642) in plant habit and growth. In side-by-side comparisons in Chichester, West Sussex, United Kingdom, under commercial practice, plants of the new Chrysanthemum variety 'Dove Bronze' differed from 'Grace' in the following characteristics.

1. The new variety 'Dove Bronze' produces smaller sized flowers than 'Grace.'
2. The new variety 'Dove Bronze' usually produces more flowers than 'Grace.'
3. The new variety 'Dove Bronze' has a more round and domed shape than 'Grace.'

BRIEF DESCRIPTION OF ILLUSTRATION

Typical specimens of the plant and flowers for the new Chrysanthemum variety 'Dove Bronze' are shown in the accompanying digital photograph. The colors shown are as true as possible within the usual limits of this kind of illustration. Figure 1 is a whole plant view of the new variety 'Dove Bronze' grown in a pot. The plant shown in the illustration is 63 days from commencement of planting outdoors in mid-June.

DETAILED BOTANICAL DESCRIPTION

The following description of the new Chrysanthemum variety 'Dove Bronze' is of plants grown outside, natural season in Chichester, West Sussex, United Kingdom, in the month of June. The cultivar has not been observed under all possible environmental conditions. The phenotype may vary significantly with variations in the environment such as temperature, length of day and light intensity, without any variance in genotype. The commercial classification of the new variety is a garden Chrysanthemum.

Plants of the new variety have been grown successfully under temperature conditions averaging about 50°F at night and about 70°F to 75°F during the day under natural light conditions. The plants were grown outdoors in mid-June in 4 liter pots using loamless compost. No growth retardants were used. To produce a commercial product the plants may be pinched once with the center bud removed. The typical container size for commercial growth is 4 liters (8"). It has been observed that the shelf life of the new variety is about 25 days with a response time of about 9 weeks. The new variety is

suitable for growth in a temperature range of 50°F to 75°F. The new variety may be produced as a pot plant. The following description is with respect to a plant produced as a garden pot plant. In the description of this new Chrysanthemum variety, color values have been taken from the Royal Horticultural Society Colour Chart (R.H.S.C.C.).

5 Plant

Plant type: Pot

Habit: Domed - Round

Height: 40 cm

Width: 50 cm

10 Branching characteristics: Angular and Free Branching

Length of Lateral Branches: 14-32 cm

Number of Breaks from Pinch: 7-9

Stem Color: near 137A

Response Time: 63 days natural season

15 Vigor: Medium

Shelf Life: 25 days

Disease (Susceptibility/Resistance observed): None observed to date

Pest (Susceptibility/Resistance observed): None observed to date

Growth retardant type and treatment: No treatment necessary

20 The plants were grown for 10 weeks in natural season conditions.

Propagation:

Type: Vegetative Propagation via Stem Cuttings

Time to rooting: 12 days with soil temperatures of 70°F

Rooting habit: Fine and Fibrous

25 Foliage

Number of Leaves Per Lateral Branch: 10-15

Compound or single: Single

Arrangement of Leaves: Alternate

Shape of Leaf: typically 5 lobed ovate

Size of Leaf: *Width* (cm): 1-4 *Length* (cm): 2-5.5

Leaf Apex: Acute

5 Base: Truncate

Attachment: Petioled

Aspect: Slightly Undulating

Margin: Palmately Lobed

Surface characteristics: *Top*: Very Slightly Pubescent

Bottom: Very Slightly Pubescent

Petiole: *Color:* near 139C

Length: 0.8 cm-1.2 cm

Diameter: 0.3 cm-0.4 cm

Venation : Net prominent mid-vein at underside

15 *Color: upper side: near 138D*

under side: near 138D

Color: Mature Leaf, *upper side*: near 137C; *under side*: near 137D

Young Leaf, *upper side*: near 138B; *under side*: near 138B

Flower

20 Flower appearance: Matte

Flower type: Single

Flower form: Flat

Flower shape: Round

Flowering habit: Cyme

25 Number of blossoms per branch: 8-12

Inflorescence form: Corymibiform

Depth of fully expanded blossoms: 1 cm

Diameter of fully expanded blossoms: 2–3.5 cm

Phyllaries: *Number:* 10-12

5 *Color:* near 137C

Length: 4-8 mm

Width: 1-2 mm

Texture/Appearance: Very Slightly Pubescent

Pedicel: *Length:* terminal: 4 cm; lateral: 7-8 cm

10 *Color:* near 136C

Surface: Pubescent

Habit: Slightly curving

Strength: Medium

Diameter: 0.3 cm-0.5 cm

15 Ray florets: *Form/Shape:* Straight with oblong shape

Texture/Appearance : Matte

Number per flower: 35-38

Length: 1-1.5 cm *Width:* 3-5 mm

Apex: Rounded, Slightly Dentate

20 *Base:* Tubular

Margin: Entire

Disc florets: *Form/Shape:* Cylindrical

Texture/Appearance: Shiny

Number per flower: 125-140

25 *Length:* 1-1.5 cm; *Width:* 1 mm

Diameter of disc: 6-8 mm

Fragrance: None

Flower Bud (at onset of color):

Length: 6 mm

Diameter: 7 mm

Form/Shape: Globular

General flower color:

5

1. Ray florets, *upper side*:

Immature: near 171B

Mature: near 171C

Older/Fading: near 164C

10

2. Ray florets, *under side*:

Immature: near 171B

Mature: near 171C

Older/Fading: near 164C

3. Disc florets:

15

Immature: near 17B

Mature: near 16B

Older/Fading: near 16C

4. Bud: near 145C

Flower progression with age: Color fades uniformly with age.

20

Lastingness of blooms: near 25 days

Reproductive Organs

Gynoecium present on Ray and Disc florets.

Ray florets per individual flower:

Pistil number: 35-38

25

Stigma color: near 144D

Stigma shape: Forked

Style color: near 144D

Style length: 4 mm

Disc florets per individual flower:

Pistil number: 100-110

Stigma color: near 150C

5 *Stigma shape:* Cylindrical

Style color: near 150C

Style length: 2-3 mm

Androecium present on Disc florets only.

Stamen number: 25-40

10 *Anther shape:* Cylindrical

Anther color: near 14C

Pollen color: near 12A

Pollen quantity: Abundant

Fruit and Seeds: None observed

WHAT IS CLAIMED IS:

1. A new and distinct variety of Chrysanthemum plant, substantially as described and illustrated herein.

5

ABSTRACT

A new variety of Chrysanthemum plant named 'Dove Bronze' having a domed canopy of many small single bronze flowers with a very uniform round habit.